

Material Safety Data Sheet

CB-80

SDS # : 6545-A
Revision Date: 2011-06-24
Version 2



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	CB-80
Formula code	6545
Active Ingredient(s)	Piperonyl Butoxide, Pyrethrins
Synonyms	Pyrethrins and Pyrethroids, Pyrethrum Butylcarbityl(6-propylpiperonyl) ether, 1,3-Benzodioxole, 5-[[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-
Recommended use	Insecticide
Manufacturer FMC Corporation Agricultural Products Group 1735 Market Street Philadelphia, PA 19103 General Information: Phone: (215) 299-6000 E-Mail: msdsinfo@fmc.com	Emergency telephone number For leak, fire, spill or accident emergencies, call: (800) 424-9300 (CHEMTREC - U.S.A.) (703) 527-3887 (CHEMTREC - Collect - All Other Countries), Medical Emergencies: (800) 331-3148 (U.S.A. & Canada) (651) 632-6793 (All Other Countries - Collect)

2. Hazards identification

Appearance	Yellow, Aerosolized liquid
Physical State	Liquid aerosol
Odor	Pyrethrin
Physical or Chemical Hazards	.
Flammable properties	Flammable liquid. Contents under pressure.
Potential health effects	
Acute effects	
Eyes	May cause slight irritation.
Skin	Substance may cause slight skin irritation.
Inhalation	Harmful by inhalation. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. May cause cardiac effects.
Ingestion	May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional affects as listed under "Inhalation".
Chronic effects	
Aggravated Medical Conditions	Liver disorders, Kidney disorders, Cardiovascular.

3. Composition/information on ingredients

Hazardous ingredients

Chemical Name	CAS-No	Weight %
1,1-Difluoroethane	75-37-6	65-75
Isopropanol	67-63-0	10-20
Petroleum distillates, hydrotreated light	64742-47-8	10-20
Piperonyl butoxide	51-03-6	4
Pyrethrin	8003-34-7	0.5

4. First aid measures

Eye contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.
Notes to physician	This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

5. Fire-fighting measures

Flammable properties Flammable liquid. Contents under pressure.

Flash Point 14.4 °C / 58 °F (Flame extension 5" - no flashback)

Special hazards arising from the substance or mixture

Sensitivity to Mechanical Impact not applicable

Sensitivity to Static Discharge not applicable

Extinguishing media

Suitable extinguishing media Foam. Carbon dioxide (CO₂). Dry chemical. Water spray.

Advice for fire-fighters

Protective equipment and precautions for firefighters Isolate fire area. Evaluate downwind. In the event of fire, wear self contained breathing apparatus.

NFPA

Health Hazard	2
Flammability	3
Stability	0
Special Hazards	-

6. Accidental release measures

Personal precautions	Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.
Environmental precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for cleaning up	Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.
Other	For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

7. Handling and storage

Handling	Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container only.

8. Exposure controls/personal protection

Exposure guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico
Isopropanol 67-63-0	STEL 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³	Mexico: TWA 400 ppm Mexico: TWA 980 mg/m ³ Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m ³
Pyrethrin 8003-34-7	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 5000 mg/m ³ TWA: 5 mg/m ³	Mexico: TWA 5 mg/m ³ Mexico: STEL 10 mg/m ³

Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
Isopropanol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 985 mg/m ³ STEL: 500 ppm STEL: 1230 mg/m ³	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm TWA: 492 mg/m ³ STEL: 400 ppm STEL: 984 mg/m ³
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 200 mg/m ³ Skin			
Pyrethrin 8003-34-7	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³

Occupational exposure controls

Engineering measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
-----------------------------	--

Personal protective equipment

General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
----------------------------	--

Respiratory protection	For dust, splash, mist or spray exposures wear a filtering mask.
Eye/face protection	For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield
Skin and body protection	Wear long-sleeved shirt, long pants, socks, shoes, and gloves.
Hand protection	Protective gloves
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

9. Physical and chemical properties

Appearance	Yellow, Aerosolized liquid
Color	yellow
Physical State	Liquid aerosol
Odor	Pyrethrin
pH	No information available
Melting Point/Range	No information available
Freezing point	No information available
Boiling Point/Range	not applicable
Flash Point	14.4 °C / 58 °F (Flame extension 5" - no flashback)
Evaporation rate	not applicable
Autoignition Temperature	not applicable
Flammable properties	Flammable liquid. Contents under pressure.
Vapor pressure	not applicable
Vapor density	No information available
Density	No information available
Specific Gravity	0.8746
Bulk density	No information available
Water solubility	No information available
Percent volatile	No information available
Partition coefficient:	not applicable
Viscosity	No information available
Oxidizing properties	not applicable

10. Stability and reactivity

Stability	Stable
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition.
Materials to avoid	Strong oxidizing agents, Bases, Powdered earth metals
Hazardous decomposition products	Carbon oxides, Hydrogen fluoride, Carbonyl fluoride
Hazardous polymerization	Hazardous polymerization does not occur

11. Toxicological information

Eye contact	Mild Irritant
Skin contact	Mild Irritant

Ingestion	May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional effects as listed under "Inhalation".
Inhalation	Harmful by inhalation. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Inhalation of high concentrations of 1,1-difluoroethane is harmful and may cause heart irregularities, unconsciousness or death.
LD50 Dermal	> 2000 mg/kg (rabbit)
LD50 Oral	2,370 mg/kg (rat)
LC50 Inhalation:	2.5 mg/L (rat)

Chronic Toxicity - Active Ingredient(s)

Carcinogenicity	Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).
Mutagenicity	Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.
Developmental Toxicity	Isopropanol has been reported to cause teratogenicity in laboratory animals.
Target Organ Effects	Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group showed preneoplastic changes, including enlargement of hepatocyte nuclei and multinucleated cells. Kidney damage was also seen.

Chemical Name	ACGIH	IARC	NTP	OSHA	NIOSH - Target Organs
Isopropanol					eyes, respiratory system, skin
Pyrethrin					CNS, skin, respiratory system

12. Ecological information**Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Isopropanol	>1000 mg/L EC50 96 h (Desmodesmus subspicatus) >1000 mg/L EC50 72 h (Desmodesmus subspicatus)	LC50 9640 mg/L Pimephales promelas 96 h LC50 11130 mg/L Pimephales promelas 96 h LC50 > 1400000 µg/L Lepomis macrochirus 96 h		EC50 13299 mg/L 48 h
Petroleum distillates, hydrotreated light		LC50 45 mg/L Pimephales promelas 96 h LC50 2.2 mg/L Lepomis macrochirus 96 h LC50 2.4 mg/L Oncorhynchus mykiss 96 h		LC50 4720 mg/L 96 h

Pyrethrin		LC50 0.054 mg/L Oncorhynchus mykiss 96 h LC50 0.0031-0.0038 mg/L Oncorhynchus mykiss 96 h LC50 0.02-0.03 mg/L Oncorhynchus mykiss 96 h LC50 0.0322-0.0472 mg/L Lepomis macrochirus 96 h LC50 0.003-0.0046 mg/L Lepomis macrochirus 96 h LC50 0.074 mg/L Lepomis macrochirus 96 h LC50 0.0425-0.121 mg/L Pimephales promelas 96 h LC50 0.224-0.458 mg/L Pimephales promelas 96 h		
-----------	--	--	--	--

Environmental Fate

Chemical Name	log Pow
Isopropanol	0.05

13. Disposal considerations

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

Contaminated packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. Transport information**DOT**

Packaging Type	17 oz. Container
Proper shipping name	Consumer Commodity
Hazard class	ORM-D
Packaging Type	13 lb. Container
Proper shipping name	Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)
Hazard Class	2.1
UN/ID No	UN1950

TDG

Proper shipping name	17 oz. Container: Aerosols 13 lb. Container: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)
Hazard Class	2.1
UN/ID No	17 oz. Container: UN1950 13 lb. Cylinder: UN1954

ICAO/IATA

UN/ID No	17 oz. Container: ID8000 13 lb. Cylinder: UN 1954
Proper shipping name	17 oz. Container: Consumer Commodity 13 lb. Container: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)
Hazard Class	17 oz. Container: 9 13 lb. Cylinder: 2.1
Marine pollutant	Pyrethrins

IMDG/IMO

Proper shipping name	17 oz. Container: Aerosols 13 lb. Container: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)
Hazard Class	2.1
UN/ID No	17 oz. Container: UN1950 13 lb. Cylinder: UN1954
Marine pollutant	Pyrethrins

15. Regulatory information

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropanol	67-63-0	10-20	1.0
Piperonyl butoxide	51-03-6	4	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Pyrethrin	1 lb	

Chemical Name	U.S. - TSCA (Toxic Substances Control Act) - Section 4 - Chemical Test Rules (40 CFR 799)	U.S. - TSCA (Toxic Substances Control Act) - Section 5(a)(2) - Chemicals with Significant New Use Rules (SNURs)
Isopropanol	40 CFR 799.2325	

Chemical Name	U.S. - TSCA (Toxic Substances Control Act) - Section 8(a) - Chemical-Specific Reporting and Recordkeeping
Petroleum distillates, hydrotreated light	Partially exempt chemical substance termed Petroleum Process Stream

Chemical Name	U.S. - TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
1,1-Difluoroethane	04/13/1989
Isopropanol	12/15/1986

International Regulations

Mexico - Grade

Serious risk, Grade 3

Chemical Name	Carcinogen Status	Mexico
Isopropanol		Mexico: TWA 400 ppm Mexico: TWA 980 mg/m ³ Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m ³
Pyrethrin		Mexico: TWA 5 mg/m ³ Mexico: STEL 10 mg/m ³

Chemical Name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
1,1-Difluoroethane	1000 100 kg/yr	1000 kg/yr

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B5 Flammable aerosol

D1B Toxic materials

D2B Toxic materials



16. Other information

Revision Date: 2011-06-24

Reason for revision: (M)SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. , Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. , Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2011 FMC Corporation. All Rights Reserved

End of Material Safety Data Sheet