

Safety data sheet

Page: 1/15

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

1. Identification

Product identifier

Termidor SC Termiticide-Insecticide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: biocide

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral) STOT RE (Central nervous system) 2 Aquatic Acute 1 Aquatic Chronic 1

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:







Signal Word:

Warning

Hazard Statement:

H302 Harmful if swallowed.

H373 May cause damage to organs (Central nervous system) through

prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P260 Do not breathe mist or vapour.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P314 Get medical advice/attention if you feel unwell.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P330 Rinse mouth P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one

According to UN GHS criteria

Hazard determining component(s) for labelling: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Biocidal product, insecticide

Hazardous ingredients (GHS)

According to UN GHS criteria

fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Content (W/W): 9,1 % Acute Tox. 2 (Inhalation - dust)
CAS Number: 120068-37-3 Acute Tox. 3 (oral)

EC-Number: 424-610-5 Acute Tox. 3 (dermal)

INDEX-Number: 608-055-00-8 STOT RE (Central nervous system) 1

Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 1000
M-factor chronic: 10000

H330, H301 + H311, H372, H400, H410

Residues (petroleum), catalytic reformer fractionator, sulfonated,polymers with formaldehyde, sodium salts

Content (W/W): < 5 % Eye Dam./Irrit. 2A CAS Number: 68425-94-5 Aquatic Acute 3 Aquatic Chronic 3

H319, H402, H412

1,2-Benzisothiazol-3(2H)-one

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

Content (W/W): < 0,05 % CAS Number: 2634-33-5 EC-Number: 220-120-9 INDEX-Number: 613-088-00-6 Acute Tox. 4 (oral)
Skin Corr./Irrit. 2
Eye Dam./Irrit. 1
Skin Sens. 1
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 1
M-factor chronic: 1

H318, H315, H302, H317, H400, H410

Specific concentration limit: Skin Sens. 1: >= 0,05 %

2-Methyl-2H-isothiazol-3-one

Content (W/W): < 0,05 % CAS Number: 2682-20-4 EC-Number: 220-239-6 INDEX-Number: 613-326-00-9 Acute Tox. 2 (Inhalation - dust) Acute Tox. 3 (oral)

Acute Tox. 3 (dermal) Skin Corr./Irrit. 1B Eye Dam./Irrit. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1

H330, H317, H314, H301 + H311, H400, H410

EUH071

Specific concentration limit: Skin Sens. 1A: >= 0,0015 %

Propane-1,2-diol

Content (W/W): < 5 % CAS Number: 57-55-6 EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen chloride, Hydrogen fluoride, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

120068-37-3: 1H-Pyrazole-3-carbonitrile, 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]

TWA value 0,042 mg/m3 (BASF recomm. occupational exposure limit)

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: liquid
Colour: off-white
Odour: characteristic

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 6 - 8

(10 g/l, approx. 20 °C)

Freezing point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point:

Non-flammable.

Evaporation rate:

not applicable not applicable

Flammability: Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature:

Based on the water content the

product does not ignite.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

Vapour pressure: approx. 23,3 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1,06 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: 120 °C, 10 kJ/kg (DSC (OECD 113))

185 °C, 240 kJ/kg (DSC (OECD 113)) 320 °C, 70 kJ/kg (DSC (OECD 113)) 395 °C, > 140 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic: approx. 66 mPa.s

(20 °C, 100 1/s)

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: not fire-propagating

(Directive 2004/73/EC, A.21)

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): 1.999 mg/kg

LC50 rat (by inhalation): > 1,7 mg/l 4 h

No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 2.000 mg/kg No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment of repeated dose toxicity:

Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Toxicity to fish:

LC50 (96 h) 0,0852 mg/l, Lepomis macrochirus

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Aquatic invertebrates:

EC50 (48 h) 0,19 mg/l, Daphnia magna

LC50 (48 h) 0,00017 mg/l, Mysidopsis bahia

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile Aquatic plants:

EC50 (72 h) 0,103 mg/l (growth rate), Scenedesmus subspicatus

No observed effect concentration (72 h) >= 0,14 mg/l, Pseudokirchneriella subcapitata

EC50 (14 d) > 0,16 mg/l (biomass), Lemna gibba

No observed effect concentration (14 d) > 0,16 mg/l (biomass), Lemna gibba

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Chronic toxicity to fish:

No observed effect concentration (35 d) 0,0029 mg/l, Cyprinodon variegatus

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d) 0,000008 mg/l, Mysidopsis bahia

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Bioaccumulation potential:

Bioconcentration factor: 321, Lepomis macrochirus Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9, EHSM Packing group:

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Inland waterway transport

ADN

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9, EHSM Packing group: III

Environmental hazards: yes

Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

UN number: UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name:

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9. EHSM

Packing group: Ш

Environmental hazards: yes

Marine pollutant: YES

Special precautions for

None known

user:

Air transport

IATA/ICAO

UN number: UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name:

N.O.S. (contains FIPRONIL)

Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards: ves

Special precautions for None known

user:

Regulation: Not evaluated Shipment approved: Not evaluated Pollution name: Not evaluated Pollution category: Not evaluated Ship Type: Not evaluated

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Date / Revised: 07.12.2021 Version: 4.0

Product: Termidor SC Termiticide-Insecticide

(ID no. 30617693/SDS_GEN_00/EN)

Date of print 20.02.2024

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox. Acute toxicity

STOT RE Specific target organ toxicity — repeated exposure Aquatic Acute Hazardous to the aquatic environment - acute Aquatic Chronic Hazardous to the aquatic environment - chronic

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Corr./Irrit. Skin corrosion/irritation
Skin Sens. Skin sensitization
H330 Fatal if inhaled.

H301 + H311 Toxic if swallowed or in contact with skin

H372 Causes damage to organs (Central nervous system) through prolonged

or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H315 Causes skin irritation. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H314 Causes severe skin burns and eye damage.

EUH071 Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.